




HARVARD UNIVERSITY.



LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOOLOGY.

17,422

May 14, 1902.

17,422

M-57

MAY 14 1902

LIBRARY

LIBRARY

HEMPHILL'S CATALOGUE,
CAMBRIDGE, MASS.

OF THE

LAND & FRESHWATER SHELLS

OF

UTAH.

OAKLAND CAL

T1878

NOTE

I invite the especial attention of Naturalists, Conchologists, &c, to this remarkable series of Land Shells, collected by me during last summer and fall in the canyons of the Wassatch Mt's, Utah.

This collection is certainly one of deep scientific interest and furnishes one of the best examples of evolution that we have ever met with, for it closely unites what has been considered heretofore, as five good and distinct specie .

For the purpose of showing their close relationship I have arranged them in suites to show their full range of variation, in form, size, sculpture and color.

I offer the following testimonials from our highest conchological authorities as evidence of their scientific value.

Without exception your Utah suite is the most interesting I ever studied, and the most instructive.

W. G. Binney.

Your suite of Utah Helices is deeply interesting. The forms we know as strigosa, Cooperi, Idahoensis, Hemphilli and Haydeni, are shown by numerous varieties to be intimately connected.

Tho's. Bland.

I have examined with care the magnificent suite of land shells collected by you in Utah, and do not hesitate in pronouncing them the most interesting and instructive of any groupe of Helices that I have ever been priviliged to study.

W. Newcomb. M. D.

H. H.

LAND SHELLS OF UTAH.

- | | | | | | |
|----|---|--------------|---------------------------------|-------------|--|
| 1 | Zonites | arboreus, | Say. | | |
| 2 | , | chersina, | , | | |
| 3 | , | Whitneyi, | Newc. | | |
| 4 | Vitrina | Pfeifferi, | Newc. | | |
| 5 | Patula | Cronkheitei, | Newc | | |
| 6 | , | strigosa, | Gld. | | |
| 7 | , | , | var. | | |
| 8 | , | , | medium. | | |
| 9 | , | , | small. | | |
| 10 | , | , | bandless, horn-color, | large. | |
| 11 | , | , | , | medium. | |
| 12 | , | , | , | very small. | |
| 13 | , | , | albino, large. | | |
| 14 | , | , | medium. | | |
| 15 | , | , | very small. | | |
| | Intermediate forms connecting strigosa & Cooperi. | | | | |
| 16 | , | , | large, banded. | | |
| 17 | , | , | medium. | | |
| 18 | , | , | diaphanous, banded, horn-color. | | |
| 19 | , | , | var | | |
| 20 | , | , | small, variable. | | |
| 21 | , | , | albino, rough striæ. | | |
| 22 | Patula | Cooperi, | Binn- Elevated. | | |
| 23 | , | , | medium. | | |
| 24 | , | , | horn-color. | | |
| 25 | , | , | var. | | |
| 26 | , | , | small. | | |
| 27 | , | , | albino, rough striæ. | | |
| 28 | , | , | very small. | | |

Intermediate forms connecting strigosa & Cooperi with Hemphilli.

- | | | |
|----|-------------------------|-------------------------------------|
| 29 | | subangled. |
| 30 | | dentate. |
| 31 | Patula Hemphilli, Newc. | var |
| 32 | , , | banded. |
| 33 | , , | small. |
| | , , | passing into Haydeni. |
| 34 | , , | var Utahensis, keeled, smooth. |
| 35 | , , | , , small. |
| 36 | , , | var Oquirrhensis, revolving ribs. |
| 37 | , , | , depressed. |
| 38 | , , | , small. |
| 39 | , Haydeni, Gabb. | |
| 40 | , , | small. |
| 41 | , , | var Gabbiana. Ribs nearly obsolete. |
| 42 | , , | small. |

The following varieties of Idahoensis have more than double the number of ribs or plicate striæ than the typical form, and are the most beautiful of our American snails.

- | | | |
|----|------------------------|------------------------|
| 43 | Patula Idahoensis, var | Wassatchensis. |
| 44 | , , | , , var. |
| 45 | , , | , with chestnut bands. |
| 46 | , , | , bandless. |
| 47 | , , | , depressed, |
| 48 | , , | , - small. |
| 49 | , , | , - bandless. |
| 50 | , , | , - small. |
| 51 | , , | , , medium banded. |
| 52 | , , | , - bandless. |
| 53 | , , | , intermediate. |
| 54 | , , | , , small. |
| 55 | , , | , elevated. |
| 56 | , , | , dentate. |
| 57 | , , | , very small banded. |
| 58 | , , | , , , bandless. |

- 59 *Patula Idahoentis*, var very elevated, small
 60 , , , horn-color.
 61 , , , elevated.
 62 , , , pupiform
 63 , , , , var
 64 , , , dentate.

In the remaining varieties of *Idahoensis* the body of the shell is clouded with dark and light chestnut, with a single, broad, revolving white band.

- 65 *Patula Idahoensis*, var. depressed, variable.
 66 , , , medium.
 67 , , , elevated.
 68 , , , var.
 69 , , , dentate.
 70 *Helix Ingersolli*, Bld.
 71 , *costata*, Say.
 72 *Cionella subcylindrica*, Linn.
 73 *Pupa hordeacea*, Gabb.
 74 , *corpulenta*, Morse.
 75 , *Arizonensis*, Gabb.
 76 *Succinea Haydeni*, Binn.
 77 , *Nuttalli*, ? Lea.
 78 , *Gabbi*, ? Tryon.
 79 , *Stretchiana*, ? Bld.
 80 , *Oregonensis*, Lea.
 81 , *lineata*, ? var.

Over

FRESHWATER SHELLS OF UTAH.

- | | | | |
|-----|--------------------|-----------------------|--|
| 82 | <i>Sphærium</i> | occidentale, Prlme. | |
| 83 | | dentatum, Hald. | |
| 84 | <i>Pisidium</i> | occidentale, Newc. | |
| 85 | | compressum, Prime. | |
| 86 | | ultramontanum, Prime. | |
| 87 | <i>Anodonta</i> | Oregonensis, Lea. | |
| 88 | <i>Limnæa</i> | stagnalis, Linn. | |
| 89 | <i>Limnophysa</i> | Nuttalliana, Lea. | |
| 90 | | Haydeni, | |
| 91 | | caperata, Say. | |
| 92 | | proxima, Lea. | |
| 93 | | elodes, Say. | |
| 94 | | palustris, Muli. | |
| 95 | | desiduosa, Say. | |
| 96 | <i>Physa</i> | Sayi, Tappan. | |
| 97 | | heterostrophe, Say. | |
| 98 | <i>Bulinus</i> | hypnorum, Linn. | |
| 99 | <i>Planorbis</i> | trivolvus, Say. | |
| 100 | | lentus, , | |
| 101 | <i>Gyraulus</i> | vermicularis, Gld. | |
| 102 | <i>Valvata</i> | sincera, Say. | |
| 103 | <i>Bythinella</i> | Binneyi, ? Tryon. | |
| 104 | <i>Amnicola</i> | longinqua, Gld | |
| 105 | <i>Fluminicola</i> | fusca, Hald. | |
| 106 | <i>Pomatiopsis</i> | intermedia, Tryon. | |
| 107 | <i>Leptolimæa</i> | Kirtlandiana, Lea. | |

PRICE LIST.

LAND SHELLS.

80 species and vars, two of each	\$18 00
, , , three	26 00

FRESHWATER SHELLS.

25 species three of each	\$4 00
--------------------------	--------

Printed labels will accompany the suites giving full scientific data. Packages will be sent by mail, registered to any address. All orders must be accompanied by the cash. Remittances should be made in the form of Postal Money Orders, Registered Letters, Drafts &c.

Address HENRY HEMPHILL
OAKLAND,
ALAMEDA CO,
CALIFORNIA.

THIRD CLASS

PAID

00 818
00 88

THIRD CLASS

00 818
00 88

Postage and freight charges will be sent by mail. The sender of this letter should be made in the name of the registered sender.

HENRY HENRY HENRY

ALABAMA

ALABAMA CO.

CALIFORNIA



3 2044 106 217 342

